2010 JUN 18 PM 10: 1!

BUREAU OF PUBLIC WATER SUPPLY CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

	City of Southaven
	Public Water Supply Name
	170018
	List PWS ID #s for all Water Systems Covered by this CCR
eport (deral Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer confidence CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to omers, published in a newspaper of local circulation, or provided to the customers upon request.
Please .	Answer the Following Questions Regarding the Consumer Confidence Report
	Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
	Advertisement in local paper On water bills Other
	Date customers were informed:/
V	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
	Date Mailed/Distributed: 6 / 15 / 10
	CCR was published in local newspaper. (Attach copy of published CCR for proof of publication)
	Name of Newspaper:
	Date Published:/
	CCR was posted in public places. (Attach list of locations)
	Date Posted:/
	CCR was posted on a publicly accessible internet site at the address: www. Southaven.org
CERT	<u>IFICATION</u>
and ma water q	y certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form nner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the uality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Water Supply.
Kay	10. Lumphrey Gitle (President, Mayor, Owner, etc.) Date
. 1401166/	(110) (110) (110) (110)

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518 The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

	MCLG	MCL,									
	or	TT, or	Your	Range		Sample					
Contaminants	MRDLG	MRDL	Water	Low	<u>High</u>	<u>Date</u>	<u>Violation</u>	Typical Source			
Inorganic Contaminants											
Cyanide [as Free Cn] (ppb)	200	200	5 .	5	5	2008	No	Discharge from plastic and fertilizer factories; Discharge from steel/metal factories.			
Antimony (ppb)	6	6	0.5	0.5	0.5	2008	No	Discharge from petroleum refineries; fire retardants; ceramics; electronics; solder; test addition.			
Arsenic (ppb)	0	10	0.5	0.5	0.50	2008	No	Erosion of natural deposits; Runoff from orchards; Runoff from glass and electronics production wastes.			
Barium (ppm)	2	2	0.0246	0.0201	0.0276	2008	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.			
Beryllium (ppb)	4	4	0.1	0.1	0.1	2008	No	Discharge from metal refineries and coal-burning factories; Discharge from electrical, aerospace, and defense industries.			
Cadmium (ppb)	5	5	0.100	0.100	0.100	2008	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries; runoff from waste batteries and paints.			
Chromium (ppb)	100	100	0.500	0.500	0.500	2008	No	Discharge from steel and pulp mills; Erosion of natural deposits.			
Fluoride (ppm)	4	4	0.644	0.567	0.726	2008	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.			
Mercury [Inorganic] (ppb)	2	2	0.2	0.2	0.2	2008	No	Erosion of natural deposits; Discharge from refineries and factories; Runoff from landfills; Runoff from cropland.			
Selenium (ppb)	50	50	0.588	0.500	0.781	2008	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines.			
Thallium (ppb)	0.5	2	0.5	0.5	0.5	2008	No	Discharge from electronics, glass, and leaching from ore- processing sites; drug factories.			
Nitrate [measured as Nitrogen] (ppm)	10	10	< 0.20	< 0.20	< 0.20	2009	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.			
Nitrite [measured as Nitrogen] (ppm)	1	1	< 0.05	< 0.05	< 0.05	2009	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.			
Copper (ppm)	1.3	1.3=AL	0.01 (90 th percentile)	All sites below AL		2009	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives.			
Lead (ppb)	0	15=AL	0.56 (90 th percentile)	All sites below AL		2009	No	Corrosion of household plumbing systems; Erosion of natural deposits.			
Chlorine ² (ppm)	MRDLG = 4	MRDL=4	1.03	0.98	1.42	2009	No	Water additive used to control microbes.			
Haloacetic Acids (HAA5) (ppb)	NA	60	< 0 (HAA5)	< 0	< 0	2009	No	Byproduct of drinking water chlorination.			
Total Trihalo- Methane (ppb)	0	80	< 0 (TTHM)	< 0	< 0	2009	No	Byproduct of drinking water chlorination.			

Unregula where co regulate

Nicke

Sulfa

ppm
ppb
NA
ND
NR
Importar
Term

MCL

TT

Variance and Exemption

MNR

MRDLC

MRDL MPL

2009 Annual Water Quality Report City of Southaven PWS# 170018



We are pleased to present to you this year's Annual Water Quality Report. We want to keep you informed about the quality water and services we deliver to you everyday. Our goal is to provide you with a safe and dependable supply of drinking water.

Southaven Consumer Confidence Report Is my water safe?

Last year, as in years past, your tap water met all UsS. Environmental Protection Agency (EPA) and state drinking water health standards. The City of Southaven vigilantly safeguards the water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard.

Where does my water come from?

In 2009 our water department distributed 1,364,059,000 gallons of water to our customers. Our water is groundwater pumped from a natural underground aquifer, the Sparta Aquifer. The water is drawn

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline

Source water assessment and its availability
Source Water Assessment Program was conducted by the Department of Environmental Quality under contract from the Mississippi Department of Health. The results of the report are available at: http://landandwater.deq.ns.gov/swap/reports/report.aspx?id=0170018
The susseptibility assessment ranking for each well is:

-PWS ID: 170018, Source ID: 1, Susceptibility: Moderate

-PWS ID: 170018, Source ID: 3, Susceptibility: Moderate -PWS ID: 170018, Source ID: 5, Susceptibility: Lower

-PWS ID: 170018, Source ID: 9, Susceptibility: Lower -PWS ID: 170018, Source ID: 9, Susceptibility: Moderate

-PWS ID: 170018, Source ID: 10, Susceptibility: Lower -PWS ID: 170018, Source ID: 11, Susceptibility: Moderate

-PWS ID: 170018, Source ID: 12, Susceptibility: Moderate

-PWS ID: 170018, Source ID: 13, Susceptibility: Moderate

-PWS ID: 170018, Source ID: 14, Susceptibility: Moderate -PWS ID: 170018, Source ID: 15, Susceptibility: Moderate

Note: Wells 0170018-02, 0170018-04, 0170018-07, and 0170018-08

are plugged and abandoned. **Conservation Tips**

-Repair household leaks.

-Use water saving shower heads, faucets, toilets and appliances.

-Wash only full loads of clothes or dishes.

Additional Information for Lead
If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Southaven is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Southaven

· 'United States Postal Service

CONSOLIDATED POSTAGE STATEMENT Standard	Maıl			: Note Mail Arrival (Do not Round Stamp)						
	Mailer									
Entry Point: (1) SCF MEMPHIS P&DC, MEMPHIS Presort: ALL	, TN 38101-7900									
Permit Holder's Name and Address and Email Address, If Any Neel Schaffer 5740 Getwell Rd	Name and Address of Mailing Agent (If other than permit holder) BABER INC 3135 Millbranch Rd	Telephone 901-332-6300	Organization for Wh Prepared (if other i holder) Southaven Utility D 141835	haven Utility Division 35						
Southaven , MS 38672 CAPS Cust.Ref.No. Customer No.	MEMPHIS, TN 38116 Customer No.		Southaven, MS 38671 Customer No.							
	Mailing									
Post Office of Mailing Mailir MEMPHIS TN 38101-7900 06/14/	g Date Fed Agency C 2010	Cost Code Stateme 0001 to	ent Sequence No.	No. and Type of Containers						
Type of Postage [X]Permit Imprint []Precanceled Stamps []Metered Type of Postage [X]Letters []CMM []Parcels-Machinable []Letters-Paid as Nor	CR Flats	If Sacked, Based of []125 pcs []15 lbs []both	Total Pieces 13898 Total Weight 277.9600	0 -Sacks 1 -1' Ltr Trays 50 -2' Ltr Trays 0 -EMM Ltr Trays 51 -TTL Ltr Trays 0 -Flat Trays 0 -Pallets						
Permit No. 380	Weight of a S	Single Piece 0.	.0200 pounds	0 -Other						
For Mail Enclosed within Another Class []Periodicals []Bound F	Printed Matter []Li	ibrary Mail []Media	Mail []Parcel Post						
For Automation Pieces, Enter Date For Carrier Route Pieces, Enter Date of of Address Matching and Coding For Carrier Route Pieces, Enter Date of Carrier Route Pieces, Ent										
For pieces bearing a simplified address er	ter date of delivery st	atistics file or a	Iternative method	/ /						
Move Update method: []Ancillary Service E [X]n/a Alternative Add	ndorsement []FASTforv Iress Format []OneCode	vard []NCOA Link ACS	[]ACS []Alternati	ve method []Multiple						
	Postage	-								
Parts Completed (Select all that apply) [[X]A []8 []C [X]D []E	E-[]F[]G[]H[]]I []ɔ []k []L []:	S						
		Total Pos	stage (Add parts tota	ls) \$ 2649.68						
Price at Which Postage Affixed (Check one) []Correct	. /	pcs. x \$ anceled stamps.	= Postage Affix	ed \$						
Net Postage Due (Subtract postage affixed from total postage) \$ 2649.6820										
	USPS Use On	ly								
Additional Postage Payment (State reason)				\$						
For postage affixed add additional payment for permit imprint add additional payment	to net postage due; to total postage.	Total	Adjusted Postage Affi	xed \$						
Postmaster: Report Total Postage in AIC 130 (Parmit Imprint only) Total Adjusted Postage Permit Imprint \$										
	Certificatio	on								
The mailer's signature certifies acceptance of liability for and agreement to pay any revenue deficiencies assessed on this mailing, subject to appeal. If an agent signs this form, the agent certifies that he or she is authorized to sign on behalf of the mailer and that the mailer is bound by the certification and agrees to pay any deficiencies. In addition, agents may be liable for any deficiencies resulting from matters within their responsibility, knowledge, or control. The mailer hereby certifies that all information furnished on this form is accurate, truthful, and complete; that the mail and the supporting documentation comply with all postal standards and that the mailing qualifies for the prices and fees claimed; and that the mailing does not contain any matter prohibited by law or postal regulation. I understand that anyone who furnishes false or misleading information on this form or who omits information requested on this form may be subject to criminal and/or civil penalties, including fines and imprisonment. Privacy Notice: For information regarding our Privacy Policy visit www.usps.com										
Signature of Mailer or Agent	Printed Tom Bar	Name of Mailer or . tlett	Agent Signing Form	Telephone 901 497-4873						
USPS Use Only - To be completed in non-PostalOne! sites										
Weight of a Single Piece 0po	ound Are postage fi	gures at left adjus es? If yes, reason] Yes [] No						
Total Pieces Total Weight	marrer 3 energy	es: It yes, reason		Round Stamp (Required)						
Total Postage				Date Mail Released						
Presort Verification Performed? (check one	e) Date Mailer No	tified Contact	By (Initials)							
I CERTIFY that this mailing has been inspected concerning: (1) eligibility for postage prices claimed; (2) proper preparation (and presort where required); (3) proper completion of postage statement; (4) payment of annual fee; and (5) sufficient funds on deposit (if required).										
USPS Employee's Signature	Print USPS Empl	oyee's Name	Time AM							



HEGEIVED-WATER SUPPLY 2010 JUN 18 PM 10: 11

engineers

planners

surveyors

environmental scientists

> landscape architects

June 17, 2010 N-S Project No. 6.05988.003

Ms. Karen Walters
Director of Compliance and Enforcement
Water Supply Division
Mississippi Department of Health
P. O. Box 1700
Jackson, MS 39215-1700

Re:

City of Southaven, Mississippi

2009 Consumer Confidence Report

Dear Ms. Walters:

Enclosed please find a copy of the 2009 Consumer Confidence Report (CCR) Certification Statement, the CCR, and proof of distribution. This should fulfill the City of Southaven's requirements by the Federal Safe Drinking Water Act for 2009.

If there are any questions or concerns, please contact me at 662-890-6404.

Sincerely,

NEEL-SCHAFFER, INC.

Vincent J. Malavasi, P.E.

Senior Project Manager

VJM/jl

Enclosure

c: Ray Humphrey, Assistant Utility Director

2010 JUN 2 PM 4: 2